



 **HENGCHUANG**
ELECTRIC
恒创电器 APPLIANCES


Ningbo Hengchuang Electric Appliance Co., Ltd
No. 258, Zhouxi Road, Zhoukang Town, Cixi City, Ningbo, Zhejiang Province, China
contact: Jerry@nbhccpro.com

2026 AIR FRYER CATALOG



PROFILE

We are a professional manufacturing enterprise specializing in the research, production and sales of air fryers for household appliances. We possess mature R&D and production capabilities, focusing on the air fryer category and conducting in-depth research and development. Our main advantages include intelligent temperature control, low fat and less oil content, and convenient operation. We can provide ODM/OEM customized production to meet the diverse needs of different channels and customer groups. With stable production capacity, excellent quality and highly competitive cost performance, our products are exported to both domestic and overseas markets, becoming preferred partners for numerous distributors and brand owners. We continue to lead the niche market of household air fryers.



4.0+1.5 L

Super New

HC-5501E

New Coming



Model:	HC-5501E
Controlling Mode:	Digital
Voltage & Power:	220-240V~1500W
Adjustable Temperature Setting:	80-200°C
Capacity:	4.0+1.5L
Timer:	0-30mins/0-60mins
Product Size:	289*262*332mm
GB Size:	370*310*333mm
Carton Size:	640*384*355mm (2 in 1)
Product N.W.:	5.2kg
Carton G.W.:	11.9kg(2 in 1)
Cavity:	Glass
Loading:	20GP:684pcs / 40GP:1404pcs / 40HQ:1626pcs



HC-1501ET

Model:	HC-1501ET
Controlling Mode:	Digital
Voltage & Power:	220-240V~1800W
Adjustable Temperature Setting:	80-200℃
Capacity:	14.5L
Timer:	0-30mins/0-60mins
Product Size:	340*381*332mm
GB Size:	380*380*375mm
Carton Size:	773*393*393mm (2 in 1)
Product N.W.:	5.15kg
Carton G.W.:	11.8kg(2 in 1)
Cavity:	Metal
Loading:	20GP:504pcs / 40GP:1080pcs / 40HQ:1080pcs



HC-1501ETH

Model:	HC-1501ETH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1800W
Adjustable Temperature Setting:	80-200℃
Capacity:	14.5L
Timer:	0-30mins/0-60mins
Product Size:	340*381*332mm
GB Size:	380*380*375mm
Carton Size:	773*393*393mm (2 in 1)
Product N.W.:	5.45kg
Carton G.W.:	12.4kg(2 in 1)
Cavity:	Metal
Loading:	20GP:504pcs / 40GP:1080pcs / 40HQ:1080pcs



Model:	HC-1105ET
Controlling Mode:	Digital
Voltage & Power:	220-240V~1800W
Adjustable Temperature Setting:	80-200°C
Capacity:	11.0L
Timer:	0-30mins/0-60mins
Product Size:	335*417*316mm
GB Size:	439*375*353mm
Carton Size:	760*455*365mm (2 in 1)
Product N.W.:	7.4kg
Carton G.W.:	16.3kg(2 in 1)
Cavity:	Metal
Loading:	20GP:480pcs / 40GP:980pcs / 40HQ:1086pcs



Model:	HC-1105E
Controlling Mode:	Digital
Voltage & Power:	220-240V~1800W
Adjustable Temperature Setting:	80-200°C
Capacity:	11.0L
Timer:	0-30mins/0-60mins
Product Size:	335*417*316mm
GB Size:	439*375*353mm
Carton Size:	760*455*365mm (2 in 1)
Product N.W.:	7.3kg
Carton G.W.:	16.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:480pcs / 40GP:980pcs / 40HQ:1086pcs



HC-1101ET

Model:	HC-1101ET
Controlling Mode:	Digital
Voltage & Power:	220-240V~1800W
Adjustable Temperature Setting:	80-200°C
Capacity:	11.0L
Timer:	0-30mins/0-60mins
Product Size:	335*417*316mm
GB Size:	439*375*353mm
Carton Size:	760*455*365mm (2 in 1)
Product N.W.:	7.4kg
Carton G.W.:	16.3kg(2 in 1)
Cavity:	Metal
Loading:	20GP:480pcs / 40GP:980pcs / 40HQ:1086pcs



HC-1101ETH

Model:	HC-1101ETH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1800W
Adjustable Temperature Setting:	80-200°C
Capacity:	11.0L
Timer:	0-30mins/0-60mins
Product Size:	335*417*316mm
GB Size:	439*375*353mm
Carton Size:	760*455*365mm (2 in 1)
Product N.W.:	7.4kg
Carton G.W.:	16.3kg(2 in 1)
Cavity:	Metal
Loading:	20GP:480pcs / 40GP:980pcs / 40HQ:1086pcs



Model:	HC-1101E
Controlling Mode:	Digital
Voltage & Power:	220-240V~1800W
Adjustable Temperature Setting:	80-200°C
Capacity:	11.0L
Timer:	0-30mins/0-60mins
Product Size:	335*417*316mm
GB Size:	439*375*353mm
Carton Size:	760*455*365mm (2 in 1)
Product N.W.:	7.4kg
Carton G.W.:	16.3kg(2 in 1)
Cavity:	Metal
Loading:	20GP:480pcs / 40GP:980pcs / 40HQ:1086pcs




Model:	HC-1101EH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1800W
Adjustable Temperature Setting:	80-200°C
Capacity:	11.0L
Timer:	0-30mins/0-60mins
Product Size:	335*417*316mm
GB Size:	439*375*353mm
Carton Size:	760*455*365mm (2 in 1)
Product N.W.:	7.4kg
Carton G.W.:	16.3kg(2 in 1)
Cavity:	Metal
Loading:	20GP:480pcs / 40GP:980pcs / 40HQ:1086pcs

8.0 L



Metal



Plastic



HC-8006ET

Model:	HC-8006ET
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



Metal



Plastic



HC-8006E

Model:	HC-8006E
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8006ETH

Model:	HC-8006ETH
Controlling Mode:	Digital
Voltage & Power:	220-240V~2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8006EH

Model:	HC-8006EH
Controlling Mode:	Digital
Voltage & Power:	220-240V~2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L




HC-8002ET



HC-8002ETH



Metal



Plastic



Metal



Two element



Plate

Model:	HC-8002ET/HC-8002ETH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8002E



HC-8002EH



Metal



Plastic



Metal



Two element



Basket

Model:	HC-8002E/HC-8002EH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L




HC-8002MT



HC-8002MTH



Metal



Plastic



Metal



Two element



Plate

Model:	HC-8002MT/HC-8002MTH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8002M



HC-8002MH



Metal



Plastic



Metal



Two element



Baskte

Model:	HC-8002M/HC-8002MH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8003ET

HC-8003ETH



Metal

Plastic

Metal

Two element

Plate

Model:	HC-8003ET/HC-8003ETH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8003E

HC-8003EH



Metal

Plastic

Metal

Two element

Basket

Model:	HC-8003E/HC-8003EH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8003MT

HC-8003MTH



Metal

Plastic

Metal

Two element

Plate

Model:	HC-8003MT/HC-8003MTH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8003M

HC-8003MH



Metal

Plastic

Metal

Two element

Basket

Model:	HC-8003M/HC-8003MH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L




HC-8003EAT



HC-8003EATH



Metal



Plastic



Metal



Two element



Plate

Model:	HC-8003EAT/HC-8003EATH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8003EA



HC-8003EAH



Metal



Plastic



Metal



Two element



Basket

Model:	HC-8003EA/HC-8003EAH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8005MT



HC-8005MTH



Metal



Plastic



Metal



Two element



Plate

Model:	HC-8005MT/HC-8005MTH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8005M



HC-8005MH



Metal



Plastic



Metal



Two element



Basket

Model:	HC-8005M/HC-8005MH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8005ET



HC-8005ETH

8.0 L



HC-8005E



HC-8005EH



Metal



Plastic



Metal



Two element



Plate



Metal



Plastic



Metal



Two element



Basket

Model:	HC-8005ET/HC-8005ETH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

Model:	HC-8005E/HC-8005EH
Controlling Mode:	Digital
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8005MT



HC-8005MTH



Metal



Plastic



Metal



Two element



Plate

Model:	HC-8005MT/HC-8005MTH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8005M



HC-8005MH



Metal



Plastic



Metal



Two element



Baskte

Model:	HC-8005M/HC-8005MH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8005EAT



HC-8005EAHT




Metal



Plastic



Metal



Two element



Plate

Model:	HC-8005EAT/HC-8005EATH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*334mm
GB Size:	388*337*368mm
Carton Size:	690*400*385mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

8.0 L



HC-8005EA



HC-8005EAH



Metal



Plastic



Metal



Two element



Baskte

Model:	HC-8005EA/HC-8005EAH
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1700W/2200W
Adjustable Temperature Setting:	80-200°C
Capacity:	8.0L
Timer:	0-30mins/0-60mins
Product Size:	305*381*338mm
GB Size:	388*337*375mm
Carton Size:	690*400*395mm (2 in 1)
Product N.W.:	5.3kg
Carton G.W.:	12.1kg(2 in 1)
Cavity:	Metal
Loading:	20GP:540pcs / 40GP:1160pcs / 40HQ:1310pcs

5.0 L



HC-5001ET



HC-5001E



Black white screen

Model:	HC-5001ET/HC-5001E
Controlling Mode:	Digital
Voltage & Power:	220-240V~1500W
Adjustable Temperature Setting:	80-200°C
Capacity:	5.0L
Timer:	0-30mins/0-60mins
Product Size:	255*278*293mm
GB Size:	312*289*328mm
Carton Size:	595*328*348mm (2 in 1)
Product N.W.:	3.4kg
Carton G.W.:	8.3kg(2 in 1)
Cavity:	Plastic
Loading:	20GP:926pcs / 40GP:1902pcs / 40HQ:2140pcs

5.0 L



HC-5002ET



HC-5002E



Black white screen

Model:	HC-5002ET/HC-5002E
Controlling Mode:	Digital
Voltage & Power:	220-240V~1500W
Adjustable Temperature Setting:	80-200°C
Capacity:	5.0L
Timer:	0-30mins/0-60mins
Product Size:	255*278*293mm
GB Size:	312*289*328mm
Carton Size:	595*328*348mm (2 in 1)
Product N.W.:	3.4kg
Carton G.W.:	8.3kg(2 in 1)
Cavity:	Plastic
Loading:	20GP:926pcs / 40GP:1902pcs / 40HQ:2140pcs

4.0 L



HC-6001ET



HC-6001E

Model:	HC-6001ET/HC-6001E
Controlling Mode:	Digital
Voltage & Power:	220-240V~1300W
Adjustable Temperature Setting:	80-200℃
Capacity:	4.0L
Timer:	0-30mins/0-60mins
Product Size:	250*382*321mm
GB Size:	295*295*335mm
Carton Size:	605*305*355mm (2 in 1)
Product N.W.:	2.97kg
Carton G.W.:	8.0kg(2 in 1)
Cavity:	Plastic
Loading:	20GP:870pcs / 40GP:1830pcs / 40HQ:2050pcs

4.0 L



HC-6001MT



HC-6001M

Model:	HC-6001MT/HC-6001M
Controlling Mode:	Mechanical
Voltage & Power:	220-240V~1300W
Adjustable Temperature Setting:	80-200℃
Capacity:	4.0L
Timer:	0-30mins/0-60mins
Product Size:	250*382*321mm
GB Size:	295*295*335mm
Carton Size:	605*305*355mm (2 in 1)
Product N.W.:	2.97kg
Carton G.W.:	8.0kg(2 in 1)
Cavity:	Plastic
Loading:	20GP:870pcs / 40GP:1830pcs / 40HQ:2050pcs