



TEST REPORT

NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: (3225)126-0311

Date Received: May 06,2025

May 14,2025

Page 1 of 18

MARSHALL ZHANG
NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD
NO.58 JINJIA, CHENGZHONG VILLAGE, ZHOUXIANG TOWN,
CIXI CITY, ZHEJIANG PROVINCE, CHINA

SAMPLE INFORMATION:

Sample Description:	HOT-AIR FRYER	Sample Quantity:	N/A
Vendor:	N/A	Style No(s):	HC-8003ET
Manufacturer:	N/A	SKN/SKU No.:	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	N/A	Ref #:	N/A
Appropriate Age Grade:	N/A	Country of Origin:	N/A
Client Specified Age Grade:	N/A	Assortment No.:	N/A
Tested Age Grade:	N/A	Country of Destination:	N/A
UPC Code:	N/A	Color :	N/A

EXECUTIVE SUMMARY:

TEST REQUESTED	CONCLUSION
Compliance Test - Heavy Metals, Flame Retardants Content - European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments	PASS
Compliance Test - Phthalate Test – (EU) 2015/863 amending Annex II to Directive 2011/65/EU	PASS

BVCPS (ZHEJIANG) GENERAL CONTACT INFORMATION FOR THIS REPORT

TELEPHONE NO. : 86-574-87091375 / 87091399
E-MAIL : lilyli.li@bureauveritas.com; amy.pan@bureauveritas.com

Bureau Veritas Testing Technical Service (Zhejiang) Co., Ltd

Kobe Chen

Kobe Chen
Chemical Supervisor

Bureau Veritas Testing Technical Service (Zhejiang) Co., Ltd
1F west, 6F east, 7F east, 8F, Building 8
No.66 Gongyi Road, Ningbo, Zhejiang, China
Tel:86-574-87091333, Fax:86-574-87971038
website:cps.bureauveritas.com



This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

TEST RESULT

Compliance Test - Heavy Metals, Flame Retardants Content - European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments

Test Method : See Appendix.

See Analytes and their corresponding Maximum Allowable Limit in Appendix

-			Result					Conclusion
Parameter			Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs & PBDEs	
Unit			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
Test Item	Description	Location	-	-	-	-	-	-
1	Black soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
2	Brown soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
3	Yellow with green soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
4	Blue soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
5	Copper metal wire	Plug	ND	ND	ND	ND	NA	PASS
6	Black soft plastic	Plug	ND	ND	ND	ND	ND	PASS
7	White plastic	Plug	ND	ND	ND	ND	ND*	PASS
8	Silvery metal	Plug	ND	ND	ND	ND	NA	PASS
9	Silvery metal	Plug	3.12x10 ⁴ *	39.3*	ND	ND	NA	EX [#]
10	Silver metal screw	Part	ND	ND	ND	ND	NA	PASS
11	Black metal	Part	ND	ND	ND	ND	NA	PASS
12	Transparent glass	Part	ND	ND	ND	ND	ND	PASS
13	Black soft plastic	Part	ND	ND	ND	ND	ND	PASS
14	Black soft plastic	Part	ND	ND	ND	ND	ND	PASS
15	Black plastic	Housing	ND	ND	ND	ND	ND	PASS
16	Black plastic	Part	ND	ND	ND	ND	ND	PASS
17	Gray translucence plastic	Housing	ND	ND	ND	ND	ND	PASS
18	Black plastic	Housing	ND	ND	ND	ND	ND	PASS
19	Black plastic	Housing	ND	ND	ND	ND	ND	PASS
20	Silvery metal	Housing	ND	ND	ND	ND	NA	PASS
21	Black soft plastic	Housing	ND	ND	ND	ND	ND	PASS
22	Black plastic	Housing	ND	ND	ND	ND	ND	PASS
23	Silver metal screw	Housing	ND	ND	ND	ND	NA	PASS
24	Black plastic	Part	ND	ND	ND	ND	ND*	PASS
25	Black textile	Part	ND	ND	ND	ND	ND	PASS
26	White plastic	Part	ND	ND	ND	ND	ND	PASS
27	Black plastic	Housing	ND	ND	ND	ND	PBDEs:50.3*	PASS
28	Silver metal screw	Part	ND	ND	ND	ND	NA	PASS



**BUREAU
VERITAS**

NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: **(3225)126-0311**

May 14, 2025

Page 3 of 18

-			Result					
Parameter			Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs & PBDEs	Conclusion
Unit			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
Test Item	Description	Location	-	-	-	-	-	-
29	Black sticker	PCB board	ND	ND	ND	ND	ND	PASS
30	Black plastic	PCB board	ND	ND	ND	ND	ND	PASS
31	Brown PCB	PCB board	ND	ND	ND	ND	ND*	PASS
32	LED	PCB board	ND	ND	ND	ND	ND	PASS
33	Black capacitor	PCB board	ND	ND	ND	ND	ND	PASS
34	Display	PCB board	ND	ND	ND	ND	ND*	PASS
35	Silver metal spring	PCB board	ND	ND	ND	ND	NA	PASS
36	IC	PCB board	ND	ND	ND	ND	ND	PASS
37	IC	PCB board	ND	ND	ND	ND	ND	PASS
38	White plastic	Part	ND	ND	ND	ND	ND	PASS
39	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
40	Black plastic	Housing	ND	ND	ND	ND	ND	PASS
41	Silver metal spring	Part	ND	ND	ND	ND	NA	PASS
42	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
43	Silver metal nut	Part	ND	ND	ND	ND	NA	PASS
44	Silver metal screw	Part	ND	ND	ND	ND	NA	PASS
45	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
46	Yellow with green textile	Part	ND	ND	ND	ND	ND	PASS
47	White soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
48	Silver metal wire	Part	ND	ND	ND	ND	NA	PASS
49	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
50	Black soft plastic	Part	ND	ND	ND	ND	ND	PASS
51	Red textile	Part	ND	ND	ND	ND	ND	PASS
52	Red soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
53	Black plastic	Switch	ND	ND	ND	ND	ND	PASS
54	Gold metal	Switch	ND	ND	ND	ND	NA	PASS
55	Copper metal	Switch	ND	ND	ND	ND	NA	PASS
56	Silvery metal	Switch	ND	ND	ND	ND	NA	PASS
57	Silvery metal	Switch	ND	ND	ND	ND	NA	PASS
58	Blue textile	Part	ND	ND	ND	ND	ND	PASS
59	Blue soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
60	Black textile	Part	ND	ND	ND	ND	ND	PASS
61	Red with white soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
62	White plastic	Part	ND	ND	ND	ND	ND	PASS
63	Black plastic	PCB board	ND	ND	ND	ND	ND*	PASS
64	Silvery metal	PCB board	ND	ND	ND	ND	NA	PASS
65	Diode	PCB board	ND	ND	ND	ND	ND	PASS
66	Yellow capacitor	PCB board	ND	ND	ND	ND	ND*	PASS
67	Blue resistor	PCB board	ND	ND	ND	ND	ND	PASS
68	Black resistor	PCB board	ND	ND	ND	ND	ND	PASS
69	Black plastic	PCB board	ND	ND	ND	ND	ND*	PASS
70	Black resistor	PCB board	ND	ND	ND	ND	ND*	PASS



**BUREAU
VERITAS**

NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: **(3225)126-0311**

May 14, 2025

Page 4 of 18

-			Result					Conclusion
Parameter			Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs & PBDEs	
Unit			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
Test Item	Description	Location	-	-	-	-	-	-
71	Yellow adhesive tape	PCB board	ND	ND	ND	ND	ND	PASS
72	Black plastic	PCB board	ND	ND	ND	ND	ND	PASS
73	Diode	PCB board	ND	ND	ND	ND	ND	PASS
74	Black resistor	PCB board	ND	ND	ND	ND	ND	PASS
75	IC	PCB board	ND	ND	ND	ND	ND	PASS
76	Silver metal solder	Solder	ND	ND	ND	ND	NA	PASS
77	White ceramic	Part	ND	ND	ND	ND	ND	PASS
78	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
79	Paper board	Part	ND	ND	ND	ND	ND	PASS
80	Silver metal spring	Part	ND	ND	ND	ND	NA	PASS
81	Silvery metal	Lamp	ND	ND	ND	ND	NA	PASS
82	Transparent glass	Lamp	ND	ND	ND	ND	ND	PASS
83	Gold metal	Part	ND	ND	ND	ND	NA	PASS
84	White textile	Part	ND	ND	ND	ND	ND	PASS
85	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
86	Silver metal screw	Part	ND	ND	ND	ND	NA	PASS
87	Silver metal	Part	ND	ND	ND	ND	NA	PASS
88	Green metal	Part	ND	ND	ND	ND	NA	PASS
89	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
90	White ceramic	Part	ND	ND	ND	ND	ND	PASS
91	Silvery metal	Part	<500	ND	ND	ND	NA	PASS
92	Silvery metal	Motor	<500	ND	ND	ND	NA	PASS
93	Silver metal nut	Motor	ND	ND	ND	ND	NA	PASS
94	silver metal washer	Motor	ND	ND	ND	ND	NA	PASS
95	silver metal washer	Motor	ND	ND	ND	ND	NA	PASS
96	Silvery metal	Motor	ND	ND	ND	ND	NA	PASS
97	White textile	Part	ND	ND	ND	ND	ND	PASS
98	Black soft plastic wire jacket	Wire jacket	ND	ND	ND	ND	ND	PASS
99	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
100	Silvery metal	Part	ND	ND	ND	ND	NA	PASS
101	White textile	Part	ND	ND	ND	ND	ND	PASS
102	Diode	Part	ND	ND	ND	ND	ND	PASS
103	Gold metal	Part	ND	ND	ND	ND	NA	PASS
104	Black plastic	Part	ND	ND	ND	ND	ND	PASS
105	Silvery metal	Motor	ND	ND	ND	ND	NA	PASS
106	Silver metal screw	Motor	ND	ND	ND	ND	NA	PASS
107	Copper metal	Motor	ND	ND	ND	ND	NA	PASS
108	Silvery metal	Motor	ND	ND	ND	ND	NA	PASS
109	Yellow textile	Motor	ND	ND	ND	ND	ND	PASS
110	Silvery metal	Motor	ND	ND	ND	ND	NA	PASS
111	Black metal	Motor	ND	ND	ND	ND	NA	PASS
112	Black plastic	Motor	ND	ND	ND	ND	ND	PASS
113	Black plastic	Motor	ND	ND	ND	ND	ND*	PASS
114	Silvery metal	Motor	ND	ND	ND	ND	NA	PASS

-			Result					
Parameter			Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium VI (Cr VI)	PBBs & PBDEs	Conclusion
Unit			mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
Test Item	Description	Location	-	-	-	-	-	-
115	Silvery metal	Motor	ND	ND	ND	ND	NA	PASS
116	Copper metal	Motor	ND	ND	ND	ND	NA	PASS
117	Silvery metal	Motor	ND	ND	ND	ND	NA	PASS
118	Black resistor	Motor	ND	ND	ND	ND	ND	PASS
119	Multicolor textile	Motor	ND	ND	ND	ND	ND	PASS
120	White textile	Motor	ND	ND	ND	ND	ND	PASS
121	Silvery metal	Motor	ND	ND	ND	ND	NA	PASS
122	Coppery metal coil	Motor	ND	ND	ND	ND	NA	PASS
123	White plastic	Motor	ND	ND	ND	ND	ND	PASS
124	Black metal	Part	ND	ND	ND	ND	NA	PASS
125	Black soft plastic	Part	ND	ND	ND	ND	ND	PASS
126	White plastic	Housing	ND	ND	ND	ND	ND	PASS

Note / Key :

ND = Not detected

NR = Not requested

Detection Limit: See Appendix.

">" = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

NA = Not applicable

"<" = Less than

EX= Exempted

Remark :

- The testing approach is listed in table of Appendix.
- * denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness.
- Only selected example(s) is (are) indicated on the photograph(s) in Comment.
- According to European Parliament and Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.
- For item 9:
#According to Annex III of European Council Directive 2011/65/EU, exemptions were granted a few materials and Clause 6(c) is reiterated here "Copper alloy containing up to 4 % lead by weight.". Test Item(s) was (were) claimed as is by client (received as is). Therefore, this (these) Test Item(s) containing the found lead level should be exempted.

TEST RESULT

Compliance Test - Phthalate Test – (EU) 2015/863 amending Annex II to Directive 2011/65/EU

Test Method : Reference to IEC 62321-8: 2017.

Maximum Allowable Limit : 0.1% (Each)

Parameter	CAS No.	Unit	MDL	Result			
				1+2+3+4	6+7	12+13+14	15+16+17
Dibutyl phthalate (DBP)	84-74-2	%	0.005	ND	ND	ND	ND
Butyl benzyl phthalate (BBP)	85-68-7	%	0.005	ND	ND	ND	ND
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	MDL	Result			
				18+19+21	22+24+25	26+27	29+30
Dibutyl phthalate (DBP)	84-74-2	%	0.005	ND	ND	ND	ND
Butyl benzyl phthalate (BBP)	85-68-7	%	0.005	ND	ND	ND	ND
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	MDL	Result			
				31+32+33 +34+36+37	38+40	46+47+50 +51	52+53
Dibutyl phthalate (DBP)	84-74-2	%	0.005	ND	ND	ND	ND
Butyl benzyl phthalate (BBP)	85-68-7	%	0.005	ND	ND	ND	ND
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	MDL	Result			
				58+59+60	61+62+63	65+66+67	68+69+70
Dibutyl phthalate (DBP)	84-74-2	%	0.005	ND	ND	ND	ND
Butyl benzyl phthalate (BBP)	85-68-7	%	0.005	ND	ND	ND	ND
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	MDL	Result			
				71+72+73 +74+75	77+79+82	84+90	97+98+10 1
Dibutyl phthalate (DBP)	84-74-2	%	0.005	ND	ND	ND	ND
Butyl benzyl phthalate (BBP)	85-68-7	%	0.005	ND	ND	ND	ND
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS

Parameter	CAS No.	Unit	MDL	Result			
				102	104+109+ 112+113	118+119+ 120	123+125+ 126
Dibutyl phthalate (DBP)	84-74-2	%	0.005	ND	ND	ND	ND
Butyl benzyl phthalate (BBP)	85-68-7	%	0.005	ND	ND	ND	ND
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	%	0.005	ND	ND	ND	ND
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	ND	ND	ND	ND
Conclusion	-	-	-	PASS	PASS	PASS	PASS


Note: mg/kg= milligram per kilogram % = percentage 1 mg/kg = 0.0001%
 MDL = Method Detection Limit ND = Not Detected (< MDL) “-“ = Not Regulated

Comment :

Photograph(s) [Compliance Test for European Parliament and Council Directive 2011/65/EU] :

Photograph depicting Test Item(s)








**BUREAU
VERITAS**


NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: **(3225)126-0311**

May 14, 2025

Page 10 of 18








**BUREAU
VERITAS**

NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: **(3225)126-0311**

May 14, 2025

Page 12 of 18








**BUREAU
VERITAS**

NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: **(3225)126-0311**

May 14, 2025

Page 14 of 18





**BUREAU
VERITAS**

NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: **(3225)126-0311**

May 14, 2025

Page 15 of 18

APPENDIX

List of Analytes and their Corresponding Test Methods, Detection Limit and Maximum Allowable Limit [Compliance Test for European Parliament and Council Directive 2011/65/EU] :

No.	Name of Analyte(s)	Detection Limit (mg/kg)				Maximum Allowable Limit (mg/kg)
		X-ray fluorescence (XRF) ^[a]			Wet Chemistry	
		Plastic	Metallic / glass / ceramic	Others		
1	Lead (Pb)	100	200	200	10 ^[b]	1 000
2	Cadmium (Cd)	50	50	50	10 ^[b]	100
3	Mercury (Hg)	100	200	200	10 ^[c]	1 000
4	Chromium (Cr)	100	200	200	NA	NA
5	Chromium VI (Cr VI)	NA	NA	NA	3 ^[g, h] / 10 ^[d] / See ^[e, i]	1 000 / Negative ^[j]
6	Bromine (Br)	200	NA	200	NA	NA
7	Polybromobiphenyls (PBBs) - Bromobiphenyl (MonoBB) - Dibromobiphenyl (DiBB) - Tribromobiphenyl (TriBB) - Tetrabromobiphenyl (TetraBB) - Pentabromobiphenyl (PentaBB) - Hexabromobiphenyl (HexaBB) - Heptabromobiphenyl (HeptaBB) - Octabromobiphenyl (OctaBB) - Nonabromobiphenyl (NonaBB) - Decabromobiphenyl (DecaBB)	NA	NA	NA	Each 50 ^[f]	Sum 1 000
8	Polybromodiphenyl ethers (PBDEs) - Bromodiphenyl ether (MonoBDE) - Dibromodiphenyl ether (DiBDE) - Tribromodiphenyl ether (TriBDE) - Tetrabromodiphenyl ether (TetraBDE) - Pentabromodiphenyl ether (PentaBDE) - Hexabromodiphenyl ether (HexaBDE) - Heptabromodiphenyl ether (HeptaBDE) - Octabromodiphenyl ether (OctaBDE) - Nonabromodiphenyl ether (NonaBDE) - Decabromodiphenyl ether (DecaBDE)	NA	NA	NA	Each 50 ^[f]	Sum 1 000

NA = Not applicable IEC = International Electrotechnical Commission

^[a] Test method with reference to International Standard IEC 62321-3-1: 2013.

^[b] Test method with reference to International Standard IEC 62321-5: 2013.

^[c] Test method with reference to International Standard IEC 62321-4: 2013+AMD1: 2017 CSV.

^[d] Polymers and Electronics - Test method with reference to International Standard IEC 62321-7-2: 2017.

^[e] Metal - Test method with reference to International Standard IEC 62321-7-1: 2015.

^[f] Test method with reference to International Standard IEC 62321-6: 2015.

^[g] Leather - Test method International Standard ISO 17075: 2017.

^[h] Other Than Metal, Leather, Polymers and Electronics - Test method with reference to International Standard ISO 17075: 2017.

^[i] Result(s) of Cr VI for metallic material(s) was (were) expressed in term of positive and negative. Negative means the absence of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Parliament and Council Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were) regarded as in conflict with European Parliament and Council Directive 2011/65/EU, Article 4(1).

Testing Approach [Compliance Test for European Parliament and Council Directive 2011/65/EU] :

The testing approach was with reference to the following document(s).

- 1 International Standards IEC 62321-1: 2013 and IEC 62321-2: 2021
- 2 "RoHS Enforcement Guidance Document Version 1" by EU RoHS Enforcement Authorities Informal Network. (May 2006)
- 3 "RoHS Regulations - Government Guidance Notes" by United Kingdom Department for Business Innovation & Skills. (February 2011)
- 4 "Final Report to RoHS substances (Hg, Pb, Cr(VI), Cd, PBB and PBDE) in electrical and electronic equipment in Belgium" by Belgium Federal Public Service Health, Food Chain Safety and Environment. (November 2005)



**BUREAU
VERITAS**

NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: **(3225)126-0311**

May 14, 2025

Page 16 of 18

SAMPLE REFERENCE PHOTO:



Appendix
Additional Model

HC-5001M,HC-5001MT,HC-5001E,HC-5001ET,HC-5001EA,HC-5001EAT,HC-5001MH,
HC-5001MTH,HC-5001EH,HC-5001ETH,HC-5001EAH,HC-5001EATH
HC-5002M,HC-5002MT,HC-5002E,HC-5002ET,HC-5002EA,HC-5002EAT,HC-5002MH,
HC-5002MTH,HC-5002EH,HC-5002ETH,HC-5002EAH,HC-5002EATH
HC-5003M,HC-5003MT,HC-5003E,HC-5003ET,HC-5003EA,HC-5003EAT,HC-5003MH,
HC-5003MTH,HC-5003EH,HC-5003ETH,HC-5003EAH,HC-5003EATH

HC-6001M,HC-6001MT,HC-6001E,HC-6001ET,HC-6002M,HC-6002MT,HC-6002E,
HC-6002ET,HC-6001MH,HC-6001MTH,HC-6001EH,HC-6001ETH,HC-6002MH,
HC-6002MTH,HC-6002EH,HC-6002ETH
HC-6501M,HC-6501MT,HC-6501E,HC-6501EA,HC-6501ET,HC-6501EAT,HC-6502M,
HC-6502MT,HC-6502E,HC-6502EA,HC-6502ET,HC-6502EAT,HC-6001MH,HC-6501MTH,HC-6501EH,HC-
6501EAH,HC-6501ETH,HC-6501EATH,HC-6502MH,HC-6502MTH,
HC-6502EH,HC-6502EAH,HC-6502ETH,HC-6502EATH

HC-8002M,HC-8002MT,HC-8002E,HC-8002ET,HC-8002EA,HC-8002EAT,HC-8002MH,
HC-8002MTH,HC-8002EH,HC-8002ETH,HC-8002EAH,HC-8002EATH
HC-8003M,HC-8003MT,HC-8003E,HC-8003ET,HC-8003EA,HC-8003EAT,HC-8002MH,
HC-8002MTH,HC-8003EH,HC-8003ETH,HC-8003EAH,HC-8003EATH
HC-8005M,HC-8005MT,HC-8005E,HC-8005ET,HC-8005EA,HC-8005EAT,HC-8005MH,
HC-8005MTH,HC-8005EH,HC-8005ETH,HC-8005EAH,HC-8005EATH
HC-8006M,HC-8006MT,HC-8006E,HC-8006ET,HC-8006EA,HC-8006EAT,HC-8006MH,
HC-8006MTH,HC-8006EH,HC-8006ETH,HC-8006EAH,HC-8006EATH
HC-8008M,HC-8008MT,HC-8008E,HC-8008ET,HC-8008EA,HC-8008EAT,HC-8008MH,
HC-8008MTH,HC-8008EH,HC-8008ETH,HC-8008EAH,HC-8008EATH

HC-1101M,HC-1101MT,HC-1101E,HC-1101ET,HC-1101EA,HC-1101EAT,HC-1101MH,
HC-1101MTH,HC-1101EH,HC-1101ETH,HC-1101EAH,HC-1101EATH
HC-1102M,HC-1102MT,HC-1102E,HC-1102ET,HC-1102EA,HC-1102EAT,HC-1102MH,
HC-1102MTH,HC-1102EH,HC-1102ETH,HC-1102EAH,HC-1102EATH
HC-1103M,HC-1103MT,HC-1103E,HC-1103ET,HC-1103EA,HC-1103EAT,HC-1103MH,
HC-1103MTH,HC-1103EH,HC-1103ETH,HC-1103EAH,HC-1103EATH
HC-1105M,HC-1105MT,HC-1105E,HC-1105ET,HC-1105EA,HC-1105EAT,HC-1105MH,
HC-1105MTH,HC-1105EH,HC-1105ETH,HC-1105EAH,HC-1105EATH
HC-1106M,HC-1106MT,HC-1106E,HC-1106ET,HC-1106EA,HC-1106EAT,HC-1106MH,
HC-1106MTH,HC-1106EH,HC-1106ETH,HC-1106EAH,HC-1106EATH
HC-1108M,HC-1108MT,HC-1108E,HC-1108ET,HC-1108EA,HC-1108EAT,HC-1108MH,
HC-1108MTH,HC-1108EH,HC-1108ETH,HC-1108EAH,HC-1108EATH

HC-1201M,HC-1201MT,HC-1201E,HC-1201ET,HC-1201EA,HC-1201EAT,HC-1201MH,
HC-1201MTH,HC-1201EH,HC-1201ETH,HC-1201EAH,HC-1201EATH
HC-1202M,HC-1202MT,HC-1202E,HC-1202ET,HC-1202EA,HC-1202EAT,HC-1202MH,
HC-1202MTH,HC-1202EH,HC-1202ETH,HC-1202EAH,HC-1202EATH
HC-1203M,HC-1203MT,HC-1203E,HC-1203ET,HC-1203EA,HC-1203EAT,HC-1203MH,
HC-1203MTH,HC-1203EH,HC-1203ETH,HC-1203EAH,HC-1203EATH
HC-1205M,HC-1205MT,HC-1205E,HC-1205ET,HC-1205EA,HC-1205EAT,HC-1205MH,
HC-1205MTH,HC-1205EH,HC-1205ETH,HC-1205EAH,HC-1205EATH
HC-1206M,HC-1206MT,HC-1206E,HC-1206ET,HC-1206EA,HC-1206EAT,HC-1206MH,
HC-1206MTH,HC-1206EH,HC-1206ETH,HC-1206EAH,HC-1206EATH
HC-1208M,HC-1208MT,HC-1208E,HC-1208ET,HC-1208EA,HC-1208EAT,HC-1208MH,
HC-1208MTH,HC-1208EH,HC-1208ETH,HC-1208EAH,HC-1208EATH

HC-1001M,HC-1001MT,HC-1001E,HC-1001ET,HC-1001EA,HC-1001EAT,HC-1001MH,
HC-1001MTH,HC-1001EH,HC-1001ETH,HC-1001EAH,HC-1001EATH
HC-1002M,HC-1002MT,HC-1002E,HC-1002ET,HC-1002EA,HC-1002EAT,HC-1002MH,



NINGBO HENGCHUANG ELECTRIC APPLIANCE CO., LTD

Technical Report: **(3225)126-0311**

May 14, 2025

Page 18 of 18

HC-1002MTH, HC-1002EH, HC-1002ETH, HC-1002EAH, HC-1002EATH

HC-1101ES, HC-1101ETS, HC-1102ES, HC-1102ETS, HC-1101EP, HC-1101ETP, HC-1102EP, HC-1102ETP

HC-101

Note: The information in this Appendix is provided by client. Since the client was not able to provide the sample of additional Style, above additional Style(s) hasn't been tested, but only based on the guarantee letter provided by the client. Bureau Veritas-CPS takes no responsibility for any mistakes and the problems of product consistency caused by inaccurate and/or invalid information submitted by the client. The client will take the responsibility of all discrepancy and risk.

-- END OF REPORT --